Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



UNITED STATES DEPARTMENT OF AGRICULTURE
Production and Marketing Administration
Grade and staple length of upland ootton glamed in the United States 1980-51 1/

														KO (O'SERVERO	12 Y		
All Grades		All Grades	Below Grade	Total	Gray: 3-C.M. 4-S.W. 5-H.	Total	Yellow Stained: 3-G.M. 4-S.M.	Total	Tinged: 3-C.M. 4-S.M. 5-M.	Total	Spotted: 3-G.M. 3-G.M. 5-M. 5-M. 5-M. 5-M. 7-L.M. M. 11-M. 1	Total	White 2-S.G.M. 20 3-G.M. 20 4-S.M. 570 3-B-M. 371 16 6-S.L.M. 3.585 38 7-L.M. 2.940 15 9-G.O. 530 1	- Total	5-C.N	Extra White:	Grade
1.7	Percent	165,729	5,086	52	22 25 5	13,665	90 1,960 11,615	59,107	30 1,591 14,922 28,558 14,006	77,651	1,191 13,137 25,161 27,980 10,182	9,926	355 5777 22 - 1 55 55 577 7 7 7 7 7 7 7 7 7 7 7 7 7 7	242	977 333	Bales	13/16 inch and shorter
6.6	Percent	648,758	2,808	283	93 185 5	2,915	20 920 1,975	58,017	431 8,777 24,655 19,499 4,655	508,146	9,866 143,044 252,008 91,490 11,738	75,110	80 3,105 16,515 38,028 15,616 1,317 449	1,479	21 59 295 301 371 432	Bales	7/8 inoh
4.4	Percent	432,719	11.0	83	10 73	260	80 180	13,928	410 3,750 5,795 2,753 1,220	312,696	7,114 120,338 160,076 23,948 1,220	105,539	180 3,732 24,541 55,764 19,961 1,271	103	27 27 54 20	Bales	29/32 inoh
6.1	Percent	604,125	6,779	517	85 213 219	214	40 174	29,730	440 2,944 4,661 4,908 16,777	263,729	5,862 107,013 109,965 20,143 20,746	299,619	1,030 23,511 108,563 116,972 40,746 6,993 1,804	3,595	3 145 688 1,061 702 651 345	Bales	15/16 inoh
4.9	Percent	478,327	5,188	1,692	193 578 921		1 1 1	6,403	40 420 679 1,362 3,902	114,770	3,539 48,777 40,566 9,055 12,833	346,053	80 3,150 38,540 142,352 115,227 33,846 8,164 4,694	4,221	99 797 983 584 933	Bales	31/32 inoh
9,1	Percent	899,939	7,716	28,733	22 2,025 13,653 13,033			. 21,545	36 1,085 2,099 5,362 12,963	198,045	3,423 54,478 60,839 35,211 44,094	603,028	150 3,670 43,000 189,664 222,167 89,665 41,243 13,479	40,872	11 876 14,956 9,958 9,453 7,352 7,352	Bales	1 inoh
21.4	Percent	2,115,623	604	87,561	332 13,284 48,765 25,180			4,332	12 305 727 1,688 1,600	267,112	6,269 91,817 105,548 39,339 24,139	1,514,250	40 1,692 67,290 505,302 729,476 170,281 35,392 4,777	241,764	667 47,186 118,316 42,972 26,157 6,162 324	Bales	1-1/32 inches
32 .5	Percent	3,203,216	381	65,133	1,238 17,892 40,976 5,027	1	1 1 1	278	6 15 137 80 40	163,600	4,029 76,129 65,559 15,413 2,470	2,324,155	1,741 130,330 1,006,725 1,011,659 159,602 13,431 765	649,669	6,286 158,355 287,043 160,168 36,630 1,043	Bales	1-1/16 inohes
10.2	Percent	1,000,365	10	4,731	191 1,431 3,088 21	4	1 1 1	ø	a a a a	18,761	1,090 9,955 6,737 899	713,158	27 480 43,370 318,550 305,520 42,951 2,160 100	263,697	3,464 75,096 134,027 47,661 3,423 26	Bales	1-3/32 inches
1.7	Percent	162,664	246	299	12 133 154		1 1 1	16	10 6	3,445	283 2,078 671 136 277	88,703	41 60 6,090 41,150 37,122 4,050 170	69,,955	977 27,600 36,116 5,117 118 14	Bales	
çn	Percent	46,491		1	' ' _L '		1 1 1	4	1 1 1 1	1,163	64 825 243 31	15,792	2 40 1,860 7,070 6,020 740 60	29,535	349 11,233 16,063 1,808 82	Balos	1-5/32 inohes
• 4	Percent	38 ₂ 283	10	10	10		2 a 8		1111	944	* 29 447 371 62 35	8,500	260 1,420 3,110 2,850 710 130	28,819	543 12,864 14,134 1,239 38 1	Ba les	1-3/16 inches
ડ	Percent	29,361		20	20	4		•		454	30 354 70	8,500	1,530 1,530 3,360 2,750 400	20,387	401 9,578 9,527 870 11	Bales	1-7/32 inches
ູ້ຄ	Percent	16,767		10		8	a 1 8			716	60 421 120 73	11,260	30 1,010 5,850 3,680 590 100	4,781	97 2,001 2,480 183 10	Bales	: 1-1/4 : inches and: longer :
100.0	Percent	9,842,425 2	28,938	189,125	1,795 35,179 107,740 44,411	17,064	110 3,000 13,944	193,364	1,419 18,887 53,676 64,210 55,173	1,931,232	42,849 668,818 827,934 263,780 127,856	6,123,593	342 12,833 365,358 2,374,723 2,650,710 562,098 111,001 26,528	1,359,119	12,798 345,066 634,233 272,402 73,544 16,630 4,446	Bales	All lengths
		2/200.0	ČI	2.0	1.4 5.5	20	° * *	1.9	* თ თ თ . *	19.6	1.3	62,2	22 3 4 5 6 6 6 4 5 7 1 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	13.8	2000 a 1	Percent	gths

Percentage rough preparation... 3.4 Grade index............ 94.7 Average staple length....... 32.6

April, 1951

Preliminary.

As reported by the Eureau of the Census, running bales, linters excluded.

Less then 0.05 percent.

